BID BULLETIN NO. 1 February 21, 2025

PB-ECC-2025-01 Public Bidding for the Renovation of the ECC-OSHC REU 10 Cagayan De Oro Office

In accordance with Section 22.5 of the Revised Implementing Rules and Regulations of Republic Act No. 9184, the ECC- Bids and Awards Committee issues this Bid Bulletin on the subject procurement:

I. Amendment

- **A.** The Bill of Quantities under Section VIII of PB-ECC-2025-01 is amended to **include the following:**
 - 1. Item 2.00 WALL FINISH (With metal framing of 100mm x 50mm x 0.5mm thk)
 - 2. Item 2.b Acoustic Insulation (60kg x 50mm thick)
 - 3. Item 7.00 PAINTING WORKS (Semi-Gloss Latex Paint including surface preparation)
 - 4. Items 1.00 to 7.00 indicated quantities and units on all items
- **B.** The Floor Plan is amended to **include the following:**



Please refer to the Revised Bill of Quantities and additional Drawings/Floor Plan for aforesaid amendments.

All other portions of the subject Philippine Bidding Documents (PBDs) affected by the abovementioned amendments shall be made to conform to the same. All other matters which are not included in this Supplemental Bid are hereby maintained by the ECC-BAC.

For guidance and information of all prospective external providers.

ATTY. EVELYN R. RAMOS Chairperson, ECC-BAC

Total Co Country Unit Cost Control of Office Total Co Country Unit Cost Control of Office Total Co Control of Office			RENOVATION OF REU 10 ECC-OSHC Office CAGAYAN DE ORO									
A Renovation Permit 1,000 Mt	Item		Description	Quantity	Unit	Cost+Cost of	Labor Cost	Unit Cost	Total Cost			
A Recoveration Permit 100	1.00		PRELIMINARIES									
C Salfoldines Refetal 1,00 bit		Α	Renovation Permit									
D Setrotide and Westhousing 1,00 Ind			Safety Requirements, PPE					-				
Sub Total												
Sub Total: PRELIMINARIES A Dy Wall FINSH (With metal framing of 100mm x 60mm x 6,5mm thk) A Dy Wall Surgias Room A Surgias Room Coccosto (Office) Surgias Room Surgi												
VALL FINSH (With metal framing of 100mm x 55mm x 0.5mm thk)								 				
A Dry Well	Sub To	otal :	PRELIMINARIES									
A Dry Well	2.00		WALL FINISH (With metal framing of 100mm x 50mm x 0.5mm thk)		İ							
Office Room 1		Α	Dry Wall		<u> </u>							
Service AreaPertry 32.79 ed.m												
ECCOSHC Office Section	-							1				
Comment Comm	 											
B Accessite (resultation (600g x 50mm thick) Training Room 1 4.82 5g.m Training Room 2 4.82 5g.m Sub Total 1: WALL FINISH Sub Total 2: GLASS WALL Supply and Installation of plass wall including all fixing accessories, use of tools, hardware, and equipment, and all ancessary terms to complete the works in accordance with the drawings and specifications W-0:1: 12mm thic Clear Tempered Glass (with Glass Froatling Sticker) in Autunium Framing System (White Fewdercoat) Training Room 2 W-02: 12mm thic Clear Tempered Glass (with Glass Froatling Sticker) in Autunium Framing System (White Fewdercoat) Training Room 1 W-02: 12mm thic Clear Tempered Glass (with Glass Froatling Sticker) in Autunium Framing System (White Fewdercoat) Training Room 1 Training Room 1 Sub Total 3: GLASS WALL ACOUSTIC FOLDING PARTITION Sub Total 3: ACOUSTIC FOLDING PARTITION Sub Total 4: ACOUSTIC FOLDING PARTITION Sub Total 5: ACOUSTIC FOLDING PARTITION Sub Total 6: ACOUSTIC FOLDING PARTITION Sub Total 7: ACOUSTIC FOLDING PARTITION Sub Total 8: ACOUSTIC FOLDING PARTITION Sub Total 9: ACOUSTIC FOLDING PARTITION 9: ACOUSTIC FOLDING PARTITIO			Office Room 2					.	ļ			
Training Room 1			Lactation/Wellness Room	43.43	sq.m		 		 			
Sub Total : WALL FINISH 3.00 GLASS WALL A but Total : WALL FINISH 3.00 GLASS WALL A but Total : Supply and installation of glass wall including all fixing accessories, use of tools, hardware, and equipment, and all necessary items to complete the works in accordance with the drawings and specifications W.01: 12mm tik. Clear Tempered Glass (with Glass Froating Sticker) in Authoriton Framing System (Withile Powdercoat) Training Room 2 W.02: 12mm tik. Clear Tempered Glass (with Glass Froating Sticker) in Authoriton Framing System (Withile Powdercoat) Training Room 1 Sub Total: GLASS WALL 4.00 A ACOUSTIC FOLDING PARTITION Sub Total: ACOUSTIC FOLDING PARTITION 5.00 PANEL DOORS Supply and installation of Doors including all fixing accessories, use of tools, hardware, and equipment, and all necessary learn to complete the works in accordance with the drawings and specifications. A Fitsh Door FD-01: 1800mm x 2100mm Double Leaf Swing Door with Complete Accessories Sierope AreaPantry FD-02: 840mm and 400 x \$100mm Unequal Double Leaf Swing Door with Complete Accessories Sierope Room FD-03: 800m x \$100mm Flash Door with Complete Accessories Sierope Room GD-01: 1000mm X 2100mm Flash Door with Complete Accessories 1.00 set Online Room 2 Training Room 2 Training Room 2 GD-02: 1803mmW x 2100mmH; Frameless Glass Pivot Double Swing Door GD-02: 1803mmW x 2100mmH; Frameless Glass Pivot Double Swing Door GD-02: 1803mmW x 2100mmH; Frameless Glass Pivot Double Swing Door GD-02: 1803mmW x 2100mmH; Frameless Glass Pivot Double Swing Door GD-02: 1803mmW x 2100mmH; Frameless Glass Pivot Double Swing Door GD-02: 1803mmW x 2100mmH; Frameless Glass Pivot Double Swing Door	igsquare	В	Acoustic Insulation (60kg x 50mm thick)	22 00	sa.m		-		<u> </u>			
Sub Total WALL FINISH Supply and installation of glass wall including all fixing accessories, use of tools, which arrange and specifications A hardware, and explorment, and all necessary items to complete the works in accordance with the drawings and specifications A hardware, and explorment, and all necessary items to complete the works in accordance with the drawings and specifications Abundance Framing System (While Powdercoat) Training Room 2 1.00 set	 		Training Room 2									
Supply and installation of glass wall including at fixing accessories, use of tools, A A hardware, and equipment, and all necessary terms to complete the works in accordance with the drawings and specifications W.0ft: 12mm thk. Clear Tempered Glass (with Glass Froating Sticker) in Aluminum Framing System (White Powdercost) Training Room 2 1,00 set W.02-12mm thk. Clear Tempered Glass (with Glass Froating Sticker) in Aluminum Framing System (White Powdercost) Training Room 1 1,00 set W.02-12mm thk. Clear Tempered Glass (with Glass Froating Sticker) in Aluminum Framing System (White Powdercost) Training Room 1 1,00 set W.02-12mm thk. Clear Tempered Glass (with Glass Froating Sticker) in Aluminum Framing System (White Powdercost) 1,00 set W.10-12mm thk. Clear Tempered Glass (White Glass Froating Sticker) in Aluminum Framing System (White Powdercost) 1,00 set W.10-12mm thk. Clear Tempered Glass (White Glass Froating Sticker) in Aluminum Framing System (White Powdercost) 1,00 set W.10-12mm thk. Clear Tempered Glass (White Glass Froating Sticker) in Aluminum Framing System (White Powdercost) 1,00 set W.10-12mm thk. Clear Tempered Glass (White Glass Froating Sticker) in Aluminum Framing Room 1 1,00 set W.10-12mm thk. Clear Tempered Glass (White Glass Froating Sticker) 1,00 set W.10-12mm thk. Clear Tempered Glass Froating Room 1 1,00 set W.10-12mm thk. Clear Tempered Glass Froating Room 1 1,00 set W.10-12mm thk. Clear Tempered Glass Froating Room 2 1,00 set W.10-12mm thk. Clear Tempered Glass Froating Room 2 1,00 set W.10-12mm thk. Clear Tempered Glass Froating Room 2 1,00 set 1,00 set W.10-12mm thk. Clear Tempered Glass Froating Room 2 1,00 set 1	 		The state of the s		ļ				ļ			
Supply and installation of glass wall including at fixing accessories, use of tools, A A hardware, and equipment, and all necessary terms to complete the works in accordance with the drawings and specifications W.0ft: 12mm thk. Clear Tempered Glass (with Glass Froating Sticker) in Aluminum Framing System (White Powdercost) Training Room 2 1,00 set W.02-12mm thk. Clear Tempered Glass (with Glass Froating Sticker) in Aluminum Framing System (White Powdercost) Training Room 1 1,00 set W.02-12mm thk. Clear Tempered Glass (with Glass Froating Sticker) in Aluminum Framing System (White Powdercost) Training Room 1 1,00 set W.02-12mm thk. Clear Tempered Glass (with Glass Froating Sticker) in Aluminum Framing System (White Powdercost) 1,00 set W.10-12mm thk. Clear Tempered Glass (White Glass Froating Sticker) in Aluminum Framing System (White Powdercost) 1,00 set W.10-12mm thk. Clear Tempered Glass (White Glass Froating Sticker) in Aluminum Framing System (White Powdercost) 1,00 set W.10-12mm thk. Clear Tempered Glass (White Glass Froating Sticker) in Aluminum Framing System (White Powdercost) 1,00 set W.10-12mm thk. Clear Tempered Glass (White Glass Froating Sticker) in Aluminum Framing Room 1 1,00 set W.10-12mm thk. Clear Tempered Glass (White Glass Froating Sticker) 1,00 set W.10-12mm thk. Clear Tempered Glass Froating Room 1 1,00 set W.10-12mm thk. Clear Tempered Glass Froating Room 1 1,00 set W.10-12mm thk. Clear Tempered Glass Froating Room 2 1,00 set W.10-12mm thk. Clear Tempered Glass Froating Room 2 1,00 set W.10-12mm thk. Clear Tempered Glass Froating Room 2 1,00 set 1,00 set W.10-12mm thk. Clear Tempered Glass Froating Room 2 1,00 set 1	Sub To	otal :	WALL FINISH									
A Supply and Installation of glass aveil Including all fixing accessories, use of tools, hardware, and equipment, and all necessary items to complete the works in accordance with the drawings and spedifications W.01: 12mm thit. Clear Tempered Glass (with Glass Frosting Sticker) in Aluminum Framing System (White Powdercost) Training Room 2 W.02: 12mm thit. Clear Tempered Glass (with Glass Frosting Sticker) in Aluminum Framing System (White Powdercost) Training Room 1 Training Room 1 1.00 set Sub Total: GLASS WALL 4.00 A ACOUSTIC FOLDING PARTITION Sub Total: ACOUSTIC FOLDING PARTITION 5.00 PANEL DOORS A Flush Doors FD-01: 1800mm x 2100mm bouble Leaf Swing Door with Complete the works in accordance with the drawings and spedifications. A Flush Door FD-01: 1800mm x 2100mm Double Leaf Swing Door with Complete Accessories Sarrice Area/Partry FD-02: 40mm and 400 x 2100mm Unequal Double Leaf Swing Door with Complete Accessories Storage Room GD-01: 1000mm X 2100mm Flush Door with Complete Accessories B Glass Door GD-01: 1000mm X 2100mm Flush Door with Complete Accessories Training Room 1 Office Room 1 Training Room 2 Training Room 2 Training Room 1 Training Room 2 Training Room 3 Training Room 2 Training Room 2 Training Room 3 Training Room 3 Training Room 3 Training Room 3 Training Room 4 Training Room 4 Training Room 4 Training Room 5 Training Room 5 Training Room 5 Training Room 5 Training Room 7 Training Room					 			<u> </u>				
A hardware, and equipment, and all necessary terms to complete the works in accordance with the drawings and specifications. W-01: 12mm thik Clear Tempered Glass (with Glass Froating Sticker) in Aluminum Framing System (White Powdercoat) Training Room 2 W-02: 12mm thik Clear Tempered Glass (with Glass Froating Sticker) in Aluminum Framing System (White Powdercoat) Training Room 1 1.00 set Training Room 1 1.00 set GLASS WALL 4.00 A ACOUSTIC FOLDING PARTITION Sub Total: GLASS WALL 4.00 A ACOUSTIC FOLDING PARTITION Sub Total: ACOUSTIC FOLDING PARTITION Supply and installation of Doors Including all fixing accessories, use of tools, hardware, and equipment, and all necessary lemms to complete the works in accordance with the drawings and specifications. A Flush Door FD-01: 1800mm x 2100mm Double Leaf Swing Door with Complete Accessories Service AreaPantry FD-02: 840mm and 400 x 2100mm Unequal Double Leaf Swing Door with Complete Accessories Service AreaPantry FD-02: 950mm x 2100mm Flush Door with Complete Accessories Laction Viebless Room FD-03: 100mm/ Viebless Room 1.00 set Glass Door GD-01: 100mm/ x 2100mm/ Firsh Door with Complete Accessories Laction Viebless Room Glass Door GD-01: 100mm/ x 2100mm/ Firsmeless Glass Pivot Swing Door Critice Room 2 Training Room 1 Training Room 1 Training Room 2 GD-02: 1800mm/ x 2100mm/ Firsmeless Glass Pivot Double Swing Door ECC/OSHC office 1.00 set	3.00											
Abunium Framing System (White Powdercost) Training Room 2 W-02: 12mm this. Clear Tempered Glass (with Glass Frosting Sticker) in Abunium Framing System (White Powdercost) Training Room 1 Training Room 1 1.00 set Sub Total: GLASS WALL 4.00 A ACOUSTIC FOLDING PARTITION Sub Total: ACOUSTIC FOLDING PARTITION Sub Total: ACOUSTIC FOLDING PARTITION Sub Total: ACOUSTIC FOLDING PARTITION Supply and installation of Doors Including all fixing accessories, use of tools, hardware, and equipment, and all necessary items to complete the works in accordance with the drawings and specifications. A Flush Door FD-01: 1800mm x 2100mm Double Leaf Swing Door with Complete Accessories Service Areai/Pantry FD-02: 840mm and 400 x 2100mm Unequal Double Leaf Swing Door with Complete Accessories Soronge Room 1 FD-03: 300mm X 2100mm Flush Door with Complete Accessories Lacation Webless Room Glass Door GD-01: 1000mmW x 2100mmH; Frameless Glass Pivot Swing Door Gffice Room 1 Training Room 1 Training Room 2 1.00 set Training Room 2 2.00 sets Training Room 2 1.00 set ECC/OSHC office 1.00 set ECC/OSHC office 1.00 set		A	hardware, and equipment, and all necessary Items to complete the works in									
W-02: 12mm thit. Clear Tempered Glass (with Glass Frosting Sticker) in Aluminum Franning System (White Powdercost) Training Room 1 1.00 set Sub Total: GLASS WALL 4.00 A ACOUSTIC FOLDING PARTITION Sub Total: ACOUSTIC FOLDING PARTITION Sub Total: ACOUSTIC FOLDING PARTITION Sub Total: ACOUSTIC FOLDING PARTITION Supply and installation of Doors including all fixing accessories, use of tools, hardware, and equipment, and all necessary items to complete the works in accordance with the drawings and spedications. A Flush Door FD-01: 1800mm x 2100mm Double Leaf Swing Door with Complete Accessories Service Area/Partry FD-02: 840mm and 400 x 2100mm Unequal Double Leaf Swing Door with Complete Accessories Storage Room FD-03: 990mm x 2100mm Flush Door with Complete Accessories Lectation Wellness Room GD-01: 1000mmW x 2100mmH; Frameless Glass Pivot Swing Door Office Room 1 Office Room 2 Training Room 2 GD-02: 1803mmW x 2100mmH; Frameless Glass Pivot Double Swing Door GD-01: 1000mmW x 2100mmH; Frameless Glass Pivot Double Swing Door GD-02: 1803mmW x 2100mmH; Frameless Glass Pivot Double Swing Door			W-01: 12mm thk. Clear Tempered Glass (with Glass Frosting Sticker) in Aluminum Framing System (White Powdercoat)									
Aluminum Framing System (White Powdercoat) Training Room 1 Sub Total: GLASS WALL 4.00 A ACOUSTIC FOLDING PARTITION Sub Total: ACOUSTIC FOLDING PARTITION Sub Total: ACOUSTIC FOLDING PARTITION Suphy and installation of Doors Including all fixing accessories, use of tools, hardware, and equipment, and all necessary terms to complete the works in accoordance with the drawings and specifications. A Flush Door FD-01: 1800mm x 2100mm Double Leaf Swing Door with Complete Accessories Service Area/Partry FD-02: 840mm and 400 x 2100mm Unequal Double Leaf Swing Door with Complete Accessories Storage Room FD-03: 900m x 2100mm Flush Door with Complete Accessories Lotation/ Weibless Room GD-01: 1000mmW x 2100mmH; Frameless Glass Pivot Swing Door Office Room 1 Office Room 2 Training Room 2 GD-02: 1803mmW x 2100mmH; Frameless Glass Pivot Double Swing Door GD-02: 1803mmW x 2100mmH; Frameless Glass Pivot Double Swing Door GD-02: 1803mmW x 2100mmH; Frameless Glass Pivot Double Swing Door				1.00	set			 	 			
Sub Total: GLASS WALL 4.00 A ACOUSTIC FOLDING PARTITION 9.10 sq.m Sub Total: ACOUSTIC FOLDING PARTITION 5.00 PANEL DOORS Supply and installation of Doors including all fixing accessories, use of tools, hardware, and equipment, and all necessary items to complete the works in accordance with the drawings and specifications. A Flush Door FD-01: 1800mm x 2100mm Double Leaf Swing Door with Complete Accessories Service Area/Pantry FD-02: 840mm and 400 x 2100mm Unequal Double Leaf Swing Door with Complete Accessories Storage Room FD-03: 900mm x 2100mm Flush Door with Complete Accessories Lactation / Welhests Room Lactation / Welhests Room GD-01: 1000mmW x 2100mmH; Frameless Glass Pivot Swing Door Office Room 1 Office Room 1 Training Room 1 CD0 sets FCC/OSHC office 1.00 set 1.00 set 1.00 set Training Room 1 Training Room 2 Training Room 1 Training Room 2 Training Room 2 Training Room 3 Training Room 3 Training Room 3 Training Room 4 Training Room 4 Training Room 5 Training Room 5 Training Room 6 Training Room 7 Training Room 7 Training Room 8 Training Room 8 Training Room 9 Training Room 9 Training Room 1 Training Room 1 Training Room 1			W-02: 12mm thk. Clear Tempered Glass (with Glass Frosting Sticker) in Aluminum Framing System (White Powdercoat)									
4.00 A ACOUSTIC FOLDING PARTITION 9.10 sq.m Sub Total: ACOUSTIC FOLDING PARTITION 5.00 PANEL DOORS Supply and installation of Doors Including all fixing accessories, use of tools, hardware, and equipment, and all necessary Items to complete the works In accordance with the drawings and spedifications. A Flush Door FD-01: 1800mm x 2100mm Double Leaf Swing Door with Complete Accessories Service Area/Pantry FD-02: 840mm and 400 x 2100mm Unequal Double Leaf Swing Door with Complete Accessories Storage Room FD-03: 900mm x 2100mm Flush Door with Complete Accessories Leatation/Welbress Room B Glass Door GD-01: 1000mmW x 2100mmH; Frameless Glass Pivot Swing Door Office Room 1 Office Room 1 Office Room 1 Office Room 1 Training Room 1 Training Room 2 GD-02: 1803mmW x 2100mmH; Frameless Glass Pivot Double Swing Door GD-02: 1803mmW x 2100mmH; Frameless Glass Pivot Double Swing Door			Training Room 1	1.00	set	ļ 	 	 				
4.00 A ACOUSTIC FOLDING PARTITION 9.10 sq.m Sub Total: ACOUSTIC FOLDING PARTITION 5.00 PANEL DOORS Supply and installation of Doors Including all fixing accessories, use of tools, hardware, and equipment, and all necessary Items to complete the works In accordance with the drawings and spedifications. A Flush Door FD-01: 1800mm x 2100mm Double Leaf Swing Door with Complete Accessories Service Area/Pantry FD-02: 840mm and 400 x 2100mm Unequal Double Leaf Swing Door with Complete Accessories Storage Room FD-03: 900mm x 2100mm Flush Door with Complete Accessories Leatation/Welbress Room B Glass Door GD-01: 1000mmW x 2100mmH; Frameless Glass Pivot Swing Door Office Room 1 Office Room 1 Office Room 1 Office Room 1 Training Room 1 Training Room 2 GD-02: 1803mmW x 2100mmH; Frameless Glass Pivot Double Swing Door GD-02: 1803mmW x 2100mmH; Frameless Glass Pivot Double Swing Door		<u> </u>		<u></u>	+				 			
Sub Total: ACOUSTIC FOLDING PARTITION 5.00 PANEL DOORS Supply and installation of Doors including all fixing accessories, use of tools, hardware, and equipment, and all necessary Items to complete the works in accordance with the drawings and specifications. A Flush Door FD-01: 1800mm x 2100mm Double Leaf Swing Door with Complete Accessories Service Area/Pantry FD-02: 840mm and 400 x 2100mm Unequal Double Leaf Swing Door with Complete Accessories Storage Room FD-03: 900mm x 2100mm Flush Door with Complete Accessories Storage Room FD-03: 900mm x 2100mm Flush Door with Complete Accessories Lactation/ Wellness Room B Glass Door GD-01: 1000mmW x 2100mmH; Frameless Glass Pivot Swing Door Office Room 1 Office Room 2 Training Room 2 GD-02: 1803mmW x 2100mmH; Frameless Glass Pivot Double Swing Door GD-02: 1803mmW x 2100mmH; Frameless Glass Pivot Double Swing Door	Sub T	otal :	GLASS WALL		-				 			
Supply and installation of Doors including all fixing accessories, use of tools, hardware, and equipment, and all necessary items to complete the works in accordance with the drawings and specifications. A Flush Door	4.00	Α	ACOUSTIC FOLDING PARTITION	9.10	sq.m			<u> </u>				
Supply and installation of Doors including all fixing accessories, use of tools, hardware, and equipment, and all necessary items to complete the works in accordance with the drawings and specifications. A Flush Door	Sub T	otal :	ACOUSTIC FOLDING PARTITION		1							
Supply and installation of Doors Including all fixing accessories, use of tools, hardware, and equipment, and all necessary items to complete the works in accordance with the drawings and specifications. A Flush Door FD-01: 1800mm x 2100mm Double Leaf Swing Door with Complete Accessories Service Area/Pantry 1.00 set FD-02: 840mm and 400 x 2100mm Unequal Double Leaf Swing Door with Complete Accessories Storage Room 1.00 set FD-03: 900mm x 2100mm Flush Door with Complete Accessories Lustation/ Wellhess Room 1.00 set B Glass Door GD-01: 1000mmW x 2100mmH; Frameless Glass Pivot Swing Door Office Room 1 Office Room 2 Training Room 2 GD-02: 1803mmW x 2100mmH; Frameless Glass Pivot Double Swing Door ECC/OSHC office 1.00 set	=					-		1				
hardware, and equipment, and all necessary items to complete the works in accordance with the drawings and specifications. A Flush Door FD-01: 1800mm x 2100mm Double Leaf Swing Door with Complete Accessories Service Area/Pantry 1.00 set FD-02: 840mm and 400 x 2100mm Unequal Double Leaf Swing Door with Complete Accessories Storage Room FD-03: 900mm x 2100mm Flush Door with Complete Accessories 1.00 set Latestitori Wellhess Room B Glass Door GD-01: 1000mmW x 2100mmH; Frameless Glass Pivot Swing Door Office Room 1 Office Room 2 Training Room 2 GD-02: 1803mmW x 2100mmH; Frameless Glass Pivot Double Swing Door ECC/OSHC office 1.00 set	5.00	<u> </u>			1							
FD-01: 1800mm x 2100mm Double Leaf Swing Door with Complete Accessories 1.00 set			hardware, and equipment, and all necessary items to complete the works in									
Service Area/Pantry		A	Flush Door		ļ							
Service Area/Pantry	1 7	I	FD-01: 1800mm x 2100mm Double Leaf Swing Door with Complete Accessories						I			
FD-02: 840mm and 400 x 2100mm Unequal Double Leaf Swing Door with Complete Accessories Storage Room Storage Room FD-03: 900mm x 2100mm Flush Door with Complete Accessories Lactation/ Wellness Room B Glass Door GD-01: 1000mmW x 2100mmH; Frameless Glass Pivot Swing Door Office Room 1 1.00 set Office Room 2 1.00 set Training Room 1 2.00 sets Training Room 1 2.00 sets Training Room 2 2.00 sets GD-02: 1803mmW x 2100mmH; Frameless Glass Pivot Double Swing Door	 	 		1.00	set		<u> </u>	<u> </u>				
Complete Accessories Storage Room 1.00 set	—	 	FD-02: 840mm and 400 x 2100mm Unequal Double Leaf Swing Door with		T							
FD-03: 900mm x 2100mm Flush Door with Complete Accessories 1.00 set			Complete Accessories	1	1		ļ <u> </u>	ļ	 			
Lactation/ Weliness Room 1.00 set		ļ	Storage Room	1.00	Set	1	- 	 	+			
B Glass Door	\vdash	 		1.00	set	 	1	1				
GD-01: 1000mmW x 2100mmH; Frameless Glass Pivot Swing Door		В						ļ	<u> </u>			
Office Room 2									ļ			
Training Room 1 2.00 sets						ļ	-	- 	 			
Training Room 2 GD-02: 1803mmW x 2100mmH; Frameless Glass Pivot Double Swing Door ECC/OSHC office 1.00 set	—	 				†		1				
GD-02: 1803mmW x 2100mmH; Frameless Glass Pivot Double Swing Door ECC/OSHC office 1.00 set		 										
	\vdash		ECC/OSHC office	1.00	set							
Sub Total: PANEL DOORS					1	-	 	+	-			
	Sub T	otal :	PANEL DOORS			<u> </u>		<u> </u>				

RENOVATION OF REU 10 ECC-OSHC Office CAGAYAN DE ORO								
Description	Quantity	Unit	Material Cost+Cost of Minor Tools	Labor Cost	Unit Cost	Total Cost		
WINDOWS								
Supply and installation of windows including all fixing accessories, use of tools, landware, and equipment, and all necessary Items to complete the works in accordance with the drawings and specifications								
V-03:1200mmW x 1200mmH Fixed Glass Picture Window Aluminum Framed; mm thk White Frosted Tempered Glass								
Office Room 1	1,00	set						
Office Room 2	1.00	set						
Lactation/Wellness Room	1.00	set						
MINDOWS								
PAINTING WORKS (Semi-Gloss Latex Paint including surface preparation)								
nterior Wall		 						
Storage Room	26.32	 						
Office Room 1	32.08	sq.m						
Service Area/Pantry	32.79	sd m						
ECC/OSHC Office	32,19	sq.m	———I					
Office Room 2	32.08	sq.m						
Lectation/Wellness Room	43.43	_sq_m			 			
PAINTING WORKS								
		-						
		actation/Wellness Room 43,43	actation/Wellness Room 43.43 sq.m	actation/Wellness Room 43.43 sq.m	actation/Wellness Room 43.43 sq.m	actation/Wellness Room 43.43 sq.m		

